

ATNP WGW  
3rd Meeting  
Tokyo, Japan  
6th-10th December 1999

PROPOSED Doc 9705, SUB-VOLUME V (ICS) 3rd Edition  
VALIDATION REPORT  
Draft version 1.1

Prepared by WG2

Summary

The attached draft Doc 9705 Sub-Volume V (ICS) 3rd Edition validation report is based on the Package-1 ICS validation report prepared by ATNP WG2 and submitted to ATNP/2 and subsequently to the Working Group of the Whole meeting in Phuket.. This validation report provides the reporting of the Sub-Volume V validation results to ATNP/3 and the planned subsequent Working Group of the Whole meeting. This is a draft version to be completed before the end of WGW-3 as decided during WG2-20.

**1. Introduction**

The attached Doc 9705 Sub-Volume V (ICS) 3rd Edition validation report is based on the Package-1 ICS validation report prepared by ATNP WG2 and submitted to ATNP/2 and subsequently to the Working Group of the Whole meeting in Phuket. This paper will be updated before the end of WGW-3 after coordination between all the contributors.

**2. Recommendation**

It is proposed that WGW notes the status of the attached Sub-Volume V draft validation report and accepts this report (once updated) as the draft Sub-Volume 5 third Edition validation report to be presented at ATNP/3 and to be finalized for presentation at WGW-4 in the mid-2000 timeframe.

AERONAUTICAL TELECOMMUNICATION NETWORK PANEL (ATNP)

THIRD MEETING

Montreal, February 2000

**Internet Communications Service SARPs  
Validation Report**

***Draft Version 1.1***

## TABLE OF CONTENTS

1. Introduction .....	1
Introduction.....	1
1.1 Background .....	2
1.1.1 SARPs Development .....	2
1.1.2 Change Control Board.....	2
1.2 Scope of the report .....	3
1.3 References .....	3
2. Validation Strategy .....	3
2.1 Definitions .....	3
2.2 Validation Means and Tools .....	4
2.3 Enhanced ICS Requirements.....	5
2.4 Validation Objectives .....	5
2.5 Validation Exercises .....	6
2.6 Validation Initiatives .....	6
3. Consolidated Validation Results.....	6
3.1 Doc 9705 Sub-Volume V Third edition text consistency.....	6
3.2 Coverage by Implementations .....	7
3.3 Interoperability of ATN Systems .....	7
3.4 Deployment of the ATN and large scale issues.....	7
3.5 Evaluation of ATN characteristics and performances.....	8
4. Future work .....	8
5. Conclusion .....	10
ATTACHMENT A — Validation Objectives.....	11
ATTACHMENT B — High Level Validation Tool Descriptions.....	23
ATTACHMENT C — Coverage of Validation Objectives by Validation Exercises.....	26
ATTACHMENT D — Coverage of 3 <sup>rd</sup> edition enhancements by initiatives.....	28
ATTACHMENT E — French DGAC Validation Report of ICS Enhancements Incorporated into Doc 9705 Sub-Volume V Third edition.....	30

# 1. Introduction

## Introduction

This report details the process employed and results obtained by the ATN Internet SARP's Validation Programmes that have been targeted at contributing towards the validation of the proposed 'Package-2' enhancements to the Internet Communications Service (ICS) technical provisions proposed for incorporation into the third edition of ICAO Doc 9705, Sub-Volume V.

A number of States and Organisations contributed to these validation programmes, namely:

- France – The French DGAC performs and will continue performing edition 3 ICS SARP's Validation Exercises from November 1999 until June 2000. This effort is mainly based on having Package 2 specific functionalities implemented and tested on the DNA End System Lower Layers and Sofréavia/Airtel ATN ProATN router, in order to verify first the correct behaviour of a Package 2 implementation and secondly the backwards compatibility between Package 2 and Package 1 implementations of the ICS SARP's.
- The United States validation efforts performed by FAA William J. Hughes Technical Center with their Aeronautical Data Link Test Bed and by MITRE/CAASD with their Aeronautical Communications Engineering Testbed (ACET)
- *tbd*

As a result of the close co-operation and collaboration between the participants the programmes have proved to be successful highlighting the significant benefits that are achievable through such common initiatives.

The main body of this document presents the consolidated validation results of all Validation Initiatives that have been undertaken within the context of the respective validation programmes which are reported in Attachments E through *tbd*. Attachment A lists the set of WG2 agreed ATN Validation Objectives (AVOs) that have been used to focus the objectives of each of the Validation Initiatives. Attachment B provides high level summary descriptions of each Validation Tools (e.g. experimental systems, analysis work, simulations) employed by the various Validation Initiatives in a common format. Attachment C summarises in table form the coverage of Validation Objectives by Validation Exercises as reported in Attachments E to *tbd*.

With respect to the main body of the document:

- Section 1 provides introductory material, a brief resume of the background to ICS enhancements to the technical provisions (i.e., proposed Doc 9705 third edition of Sub-Volume V) development process including the role of the WG2 and the ATNP Configuration Control Board (CCB), and references to key ATNP/3 related Working Papers.
- Section 2 provides a brief description of the Validation Strategy that has been adopted by WG2 and used as the basis of the Validation Programme. This section includes a definitions section (defining the precise meaning of terms such as Validation Objectives, Validation Exercises, Validation Initiatives etc.), a brief resume of the various validation methods foreseen to be employed within the context of the overall WG2 Validation Strategy, and a description of the role of the ATN Requirements Database.
- Section 3 provides the consolidated validation results of all Validation Initiatives reported in Attachments E through *tbd*. In particular it reports on SARP's text consistency, the

coverage of SARPs requirements by the implementations used in the various Validation Initiatives, confidence in SARPs implementations achieving interoperability, ATN deployment & large scale issues and finally an evaluation of the suitability of ATN characteristics and performance parameters necessary to support operational Air Traffic Management services.

- Section 4 reports on future validation work planned until the proposed ATNP WGW tentatively scheduled for May 2000.
- Section 5 documents the conclusions that have been drawn from the results of the Validation Initiatives that have been produced in terms of whether sufficient confidence has been acquired in order for the third edition of Doc 9705, Sub-Volume V to be recommended for adoption at ATNP/3.

## **1.1 Background**

### **1.1.1 SARPs Development**

The current ATN SARPs and the associated technical provisions for the Internet Communications Service (ICS) were published by ICAO in Amendment 73 to Annex 10 and in the first edition of Doc 9705 respectively. These documents resulted from recommendations reported out of ATNP/2 in November 1996. The configuration control board (CCB) of the ATNP subsequently, in 1999, produced an amendment 1 to Doc 9705 to correct defects found in the original document. This resulted in the 1999 re-publication of Doc 9705 as the second edition. ATNP/2 also tasked working groups with the development of enhancements to the ATN SARPs and technical provisions. WG2 has progressed the draft revisions to the ICS technical provisions through a number of iterations, which have resulted in a draft third edition of Doc 9705 Sub-Volume V. This draft Sub-Volume comprises one significant element of the total set of draft ATN technical provisions, the other elements being concerned with System Level Requirements, Air/Ground Applications, Ground/Ground Applications, Upper Layers, System Management, Directory Services and Security Services.

The final draft version of the third edition of Doc 9705 Sub-Volume V has now been completed and were submitted to ICAO in early December 1999 in order to process the material for presentation to ATNP/3 which is scheduled to take place in February 2000.

### **1.1.2 Change Control Board**

The draft third edition of Doc 9705 Sub-Volume V is the result of the evolution of the first and second editions of Doc 9705. The first edition of Doc 9705 was published in 1998 and was subsequently amended and re-published as the second edition in 1999. This second edition of Doc 9705 is the baseline from which the working group has developed the draft third edition of Doc 9705.

It was recognised at ATNP/2 that a process was needed to accept defect reports against the first edition of Doc 9705 and to incorporate any necessary changes to correct agreed upon defects. In order to track reported defects and developed the necessary changes to the baseline first edition of Doc 9705, ATNP/2 created a set of formal procedures that required the operation of a "Change Control Board" (CCB). The CCB subsequently produced Amendment 1 to the first edition of Doc 9705, which has resulted in the re-publication of Doc 9705 as the second edition. The working groups have adopted the second edition of Doc 9705 (i.e., in effect the first edition with the inclusion of the Amendment 1 revisions) as the baseline from which to develop the draft third edition of Doc 9705.

## 1.2 Scope of the report

This Validation Report refers to the baseline ICS technical provisions which is the English version of the Second Edition of Doc 9705 Sub-Volume V. This report describes the status and results of the validation activities undertaken for the draft third edition of Doc 9705 Sub-Volume as produced by ATNP WG2. Since the draft third edition of Doc 9705 Sub-Volume V was produced as a strike-out and red-line set of changes to the baseline (i.e., English) document, this validation report applies only to the English version of the text.

Proposed amendments to the draft third edition of Doc 9705 Sub-Volume V, based on additional validation activities, may be submitted to ATNP/3 or to the proposed subsequent Working Group of the Whole meeting. It is expected that any such proposed amendment will contain its own validation report statements or annexes, as appropriate to justify the changes proposed.

## 1.3 References

The Validation activity has generated a set of documentation that has been reviewed within WG2. This section only contains references to ATNP Working Papers made available to Panel members at ATNP WG meetings or at ATNP/3.

Validation Exercises Specification Documents, Configuration Specifications, Detailed Validation Reports are maintained by States and Organisations in charge of Validation Initiatives. They are traceable and referenced in summary reports given in the Attachments to this report.

Ref. No.	Doc. Ref.	Title
1.	ATNP/3-WP-x	Proposed Doc 9705 Sub-Volume V, Third edition
2.	ATNP/3-WP-x	<i>tbd</i>
3.	ATNP/3-WP-x	<i>tbd</i>

## 2. Validation Strategy

The strategy employed in the validation of the draft third edition of Doc 9705 Sub-Volume V incorporates a range of techniques, methods, procedures and tools. The strategy aims to ensure the completeness and traceability of the validation process. Each element of the validation strategy contributes towards these aims.

### 2.1 Definitions

The **Validation Report** (i.e. this document) is the consolidation of all the Detailed Validation Reports produced as the result of **Validation Initiatives**.

A **Validation Initiative** is a particular set of **Validation Exercises** carried out by one or several States/Organisations. Details of methods, specifications, tools, infrastructure and reports are under the responsibility of these States/Organisations.

**Validation Exercise** is the general term for a unit of validation activity. In order to facilitate the report consolidation, all validation exercises are defined with a reference to one or several **ATN Validation Objectives (AVOs)**. Depending on the type of validation, a Validation Exercise may correspond to:

- an Analysis case, e.g. document inspection, case study, etc.
- an Experiment with prototype and/or pre-operational systems
- a Simulation

**Validation Objectives** are statements which express the various verifications and evaluations required in order to declare related part of the draft third edition of Doc 9705 Sub-Volume V as validated.. The list of objectives has been assessed by WG2 as complete for this validation process.

## 2.2 Validation Means and Tools

The following means have been identified, and are used in attachment D:

- (a) Two or more independently developed interoperating implementations validated by two or more states/organisations;
- (b) Two or more independently developed interoperating implementations validated by one state/organisation;
- (c) one implementation validated by more than one state/organisation;
- (d) one implementation validated by one state/organisation;
- (e) partial implementation validated by one or more state/organisation;
- (f) simulation, analysis using tools e.g. ASN.1 compiler, modelling tools; and
- (g) analysis and inspection.

The available Validation Tools have been surveyed so as to assess their suitability for validation. In some cases, tool modifications and new tool developments have been initiated in order to guarantee the proper validation coverage. The tools have to be assessed against the Doc 9705 Subvolume V requirements to determine the coverage of the enhanced areas reflected in the draft third edition of the Doc 9705 Sub-Volume V implementation.

To ensure the traceability of the validation activities, it is important that tools used to conduct the validation exercises be properly documented. For each tool used in the validation exercises, a high level validation tool description is provided in Attachment B.

*Note: these tool descriptions are not intended to be the specifications of the tools' capabilities. These details can be obtained from the contact point / supplier, as given in the tool description.*

## 2.3 Enhanced ICS Requirements

The proposed high level functional enhancements to the baseline Sub-Volume V, Internet Communications Service, are shown in the following table. The focus of the ICS validation is on the validation of these enhancements including validation of their interoperability with implementations based on the current ICS baseline (i.e., Second Edition of Doc 9705, Sub-Volume V).

Label	Enhancement for 2 <sup>nd</sup> Edition of ICS SARPs
ICS3-01	Requirements for mobile subnetworks to issue Join and Leave Events within given latency intervals
ICS3-02	Requirement for IS-SME to respect quarantine time before processing next Join event from mobile subnetworks having issued a Leave event
ICS3-03	Use of adaptive retransmission timers in the Connection Oriented Transport Protocol
ICS3-05 (Note 1)	Requirements for ICS-related systems management consistent with the ATN systems management concept (i.e. draft Sub-Volume 6)
ICS3-06	Requirements for enhanced IDRPs security consistent with the ATN security architecture (i.e. draft Sub-Volume 8).
ICS3-07	Deletion of the ATN NSAP address compression algorithm (ACA)
ICS3-08	Suppression of re-advertisement of routes in the case of changing mobile subnetwork connectivity
ICS3-09	Conveyance of data link capability parameter in air/ground ISH PDU exchanges to signal protocol capabilities which are beyond 1 <sup>st</sup> edition of Doc 9705 between air/ground and airborne routers in a backwards compatible manner
ICS3-11	Revised COTP acknowledgement (ACK) timer setting
ICS3-12 (Note 2)	Potential amendment of existing mobile SNDCF and/or development of additional mobile SNDCEs to include new subnetwork types
ICS3-13	Potential enhancements to the DEFLATE algorithm to allow for the dynamic negotiation for the use of pre-stored dictionaries
ICS3-14	Potential additional mobile SNDCF option to allow maintenance of DEFLATE history window when changing ground stations or air/ground routers respectively

Note1 : ICS3-05 will not be treated in this validation report, as it is part of SV6 validation report. SV5 only refers to SV6 to provide ICS related systems management requirements.

Note 2 : Technical specification on ICS3-12 is still ongoing. However, validation work is planned and results will be presented to WG2 mid-2000 if the material is considered to be stable enough for inclusion in Sub-Volume V.

## 2.4 Validation Objectives

The ATN Validation Objectives (AVOs) agreed by WG2 are reproduced in Attachment A. The AVOs were developed under 4 major validation criteria, namely:



- Criteria 1: has the requirement been implemented ?
- Criteria 2: do ATN systems interoperate ?
- Criteria 3: does the ATN satisfy User Requirements ?
- Criteria 4: does the ATN perform well ?

Detailed definitions of each of the above criteria are provided in Attachment A. The coverage of the AVOs contributed to by Validation Exercises is given in Attachment C.

## 2.5 Validation Exercises

The validation exercises have been specified by various States/Organisations under their own validation initiatives. This consolidated report relies on these States/Organisations for producing Validation Exercise Specifications, Tool Specifications, Detailed Reports as appropriate. All documentation listed under each Validation Initiative Summary is accessible via the responsible State/Organisations.

## 2.6 Validation Initiatives

All Validation Initiatives have been summarised in Attachments E through *tbd*. The purpose of the summary is to give some insight about the work achieved, and the confidence gained under the corresponding exercises.

The summary reports are written in such a way that, in case further details are needed, the reader is provided with all the necessary references and contact points.

# 3. Consolidated Validation Results

## 3.1 Doc 9705 Sub-Volume V Third edition text consistency

The draft third edition of the Doc 9705 Sub-Volume V has been developed under the control of the ATNP WG2. The procedures enforced by the WG2 ensure that any proposed change is firstly motivated, then consistent with current draft technical provisions and finally correctly drafted before incorporation in new version. All text changes resulting from this process are traceable.

Besides this Quality Assurance process, additional verifications have been performed throughout the draft third edition of the Doc 9705 Sub-Volume V development to ensure overall consistency and correctness both internally and in reference to other Doc 9705 Sub-Volumes and base standards (e.g., ISO Documents):

- An ATNP WG2 ICS Drafting Group held in November 1999 did a complete editorial review of the draft third edition of the Doc 9705 Sub-Volume V ensuring the necessary editorial quality of the draft text. This meeting reviewed the correctness of outlines, title texts, presentation, figures and tables and internal consistency of cross-references.
- a final detailed review of the draft third edition of the Doc 9705 Sub-Volume V was made at a meeting of ATNP Working Group of the Whole held in Japan in December 1999.

From the above it can be concluded that there is sufficient confidence that the draft Internet SARPs (i.e., Doc 9705 Sub-Volume V, Third Edition) are specified in an unambiguous and consistent manner.

## **3.2 Coverage by Implementations**

The requirements contained in the draft third edition of the Doc 9705 Sub-Volume V may be divided in two categories: those pertaining to ATN systems (i.e. how systems are built), and those pertaining to the Network deployment (i.e. how ATN systems are used, how the network is managed).

Confidence has been gained in the draft third edition of the Doc 9705 Sub-Volume V pertaining to ATN systems by implementing many of these third edition enhancements in real life systems, either prototype or pre-operational systems. A coverage analysis of the requirements associated with the third edition enhancements is provided in Attachment D to this document. The focus of the validation coverage was on the enhancements proposed in the third edition of Doc 9705 Sub-Volume V as compared to the baseline second edition of the same sub-volume.

Confidence has been gained in the draft third edition of the Doc 9705 Sub-Volume V pertaining to ATN deployment by either implementing limited scale networks or by simulating them in larger configurations. A coverage analysis of the requirements associated with the third edition enhancements is provided in Attachment D to this document.

Although all the requirements have not been implemented yet, based on the fact that Edition 3 is only providing an upgrade of already implemented, validated and used SARPs material and on the coverage analysis provided in Attachment D, it can be concluded that the majority of the requirements associated with the third edition enhancements defined in Doc 9705 Sub-Volume V have been implemented by at least one validation tool. Furthermore, implementation and validation tests of Edition 3 enhancements is on-going without major difficulties at that point, given the experience gained in building and testing Edition 1 and Edition 2 systems. This provides a sufficient level of confidence that the requirements are implementable. A few other requirements remain to be validated/implemented and have been identified as requiring validation up to the proposed ATNP WG meeting in mid-2000. However, the detailed inspections of these requirements performed by ATN Systems implementors, and their positive comments, already provide a good level of confidence that these requirements are implementable.

## **3.3 Interoperability of ATN Systems**

The results of the Validation Initiatives demonstrate that ATN systems compliant with the third edition of the Doc 9705 Sub-Volume V interoperate with ATN systems compliant with any previous edition of the Doc 9705 Sub-Volume V. Although only one implementation of the third edition of the Doc 9705 Sub-Volume V compliant airborne and ground based system has been employed in these Validation Initiatives, the tests performed with this implementation in front of other first or Second edition-compliant independently developed systems, have provided further confidence in the maturity and stability of the technical provisions.

## **3.4 Deployment of the ATN and large scale issues**

Following the confidence achieved in the draft third edition of the Doc 9705 Sub-Volume V validation work, and given the confidence we have in backwards compatibility between Edition 1, Edition 2 and Edition 3-compliant implementations, it is anticipated that the changes to ICS SARPs introduced in edition 3 will not compromise already existing deployment initiatives.

Furthermore, given the results of the early Edition 3 implementations and backwards compatibility testings, it is anticipated that the upgrade from Edition 1 or Edition 2 compliant

systems to Edition 3 compliant systems will be feasible at any stage of the deployments without any constraints on the already deployed network.

### 3.5 Evaluation of ATN characteristics and performances

As a result of reviewing the performance achieved from the trials and prototype implementations, which to an extent are dependent upon the performance of the underlying hardware, no inherent limitations have been identified that would preclude the use of an ATN based communications infrastructure in an operational Air Traffic Management requirement meeting the performance requirements expected from the User. Indeed, with the exception of the air/ground subnetwork technology currently envisaged for incorporation into the ATN architecture (which can be viewed as the "bottle-neck"), the performance required of the network in terms of throughput of ground/ground links, router processing capacity, security and network redundancy requirements is very much a network design/capacity planning issue. It should be noted that no hard threshold has been evaluated with respect to performance that may be achieved with an ATN based system and that the validation work has concentrated on identifying whether what is considered to be an "acceptable level of performance" is achievable.

It can be concluded that an ATN compliant system has no inherent limitations that will limit its use in the support of an operational Air Traffic Management System. The performance of the system will be a function of the technology (hardware/software) on which the ATN requirements are implemented as well as the appropriate dimensioning/capacity planning of the supporting network.

## 4. Future work

Validation activities will continue until the proposed ATNP WGW tentatively scheduled mid-2000. During this period, additional results will be collected and reported on, concerning mainly the following enhancements: ICS3-01, ICS3-02, ICS3-06.

ICS3-12 validation results will be documented in a separate validation report for WGW.

The future validation work will in particular contribute to the final validation of the following AVOs, which have not been or have been only partially validated today:

AVO	Comment
AVO-3_103	<i>Partial Implementation of requirements or recommendations related to ICS3-06 is on-going</i>
AVO-3_104	<i>Implementation of requirements or recommendations related to ICS3-02 is on-going</i> <i>Partial Implementation of requirements or recommendations related to ICS3-06 is on-going</i> <i>ICS3-12 validation report will be produced for WGW</i>
AVO-3_105	<i>Implementation of requirements or recommendations related to ICS3-02 is on-going</i> <i>Partial Implementation of requirements or recommendations related to ICS3-06 is on-going</i> <i>ICS3-12 validation report will be produced for WGW</i>
AVO-3_106	<i>No implementation of an Edition 3 Airborne BIS not supporting IDRPs has been made available for ICS SARPs validation</i>

	<i>ICS3-12 validation report will be produced for WGW</i>
AVO-3_108	<i>No initiative known today</i>
AVO-3_203	<i>Implementation of requirements or recommendations related to ICS3-01 is on-going</i> <i>Implementation of requirements or recommendations related to ICS3-02 is on-going</i>
AVO-3_204	<i>Implementation of requirements or recommendations related to ICS3-01 is on-going</i> <i>Implementation of requirements or recommendations related to ICS3-02 is on-going</i>
AVO-3_205	<i>ICS3-12 validation report will be produced for WGW</i>
AVO-3_210	<i>Partial Implementation of requirements or recommendations related to ICS3-06 is on-going</i>
AVO-3_211	<i>Partial Implementation of requirements or recommendations related to ICS3-06 is on-going</i>
AVO-3_212	<i>Partial Implementation of requirements or recommendations related to ICS3-06 is on-going</i>
AVO-3_213	<i>Partial Implementation of requirements or recommendations related to ICS3-06 is on-going</i>
AVO-3_214	<i>Partial Implementation of requirements or recommendations related to ICS3-06 is on-going</i>
AVO-3_300	<i>Implementation of requirements or recommendations related to ICS3-01 is on-going</i>
AVO-3_301	<i>Implementation of requirements or recommendations related to ICS3-01 is on-going</i> <i>Implementation of requirements or recommendations related to ICS3-02 is on-going</i>
AVO-3_400	<i>Partial Implementation of requirements or recommendations related to ICS3-06 is on-going</i>
AVO-3_401	<i>Partial Implementation of requirements or recommendations related to ICS3-06 is on-going</i>
AVO-3_402	<i>Partial Implementation of requirements or recommendations related to ICS3-06 is on-going</i>
AVO-3_403	<i>Partial Implementation of requirements or recommendations related to ICS3-06 is on-going</i>
AVO-3_404	<i>Partial Implementation of requirements or recommendations related to ICS3-06 is on-going</i>
AVO-3_410	<i>Implementation of requirements or recommendations related to ICS3-02 is on-going</i>
AVO-3_411	<i>ICS3-12 validation report will be produced for WGW</i>
AVO-3_460	<i>No initiative known today</i>
AVO-3_461	<i>No initiative known today</i>

## 5. Conclusion

In order to comply with the "ATN System Level Requirements" (i.e. SLRs), as defined in Ref. 2, the definition of the enhancements to the ICS incorporated in the draft third edition of the Doc 9705 Sub-Volume V has necessitated the definition of a new set of detailed requirements additional to those previously defined in the baseline edition. For practical reasons it has not been possible yet to conduct an exhaustive validation of all SV5 edition 3 new requirements. Validation is an on-going process that commenced with ICS SARP Edition 1 validation, and use of Edition 1 experimental or pre-operational systems in different initiatives. Edition 3 implementations are now on-going, have produced initial validation results and will produce final validation results for mid-2000. Furthermore; the edition 3 related enhancements are mainly originated or approved by implementors or users of Edition 1 or Edition 2 systems, which gives us a good level of confidence that the ICS enhancements incorporated in the draft third edition of the Doc 9705 Sub-Volume V may be declared validated.

Based upon the above and the results of the set of validation initiatives reported in this document and its Attachments sufficient confidence has been gained to conclude that the draft third edition of the Doc 9705 Sub-Volume V are a mature basis for the upgrade or development of systems to be used in operational Air Traffic Management environment complying with stated User Requirements. It is therefore proposed that the ATN Panel endorse the recommendation in the main body of that document that the draft Internet Communications Service provisions of the ATN SARP and the third edition of Document 9705 be adopted subject to minor revisions resulting from additional validation activities reported to an ATNP WG in the mid-2000 timeframe.

## ATTACHMENT A — Validation Objectives

### A.1 Approach

The validation objectives in this Attachment are classified according to the criteria which are identified for ATN validation. Criteria define why a given validation objective/exercise increases the validation level of a (set of) ATN requirements. Four criteria have been defined in this document:

- Criteria 1: has the requirement been implemented?
- Criteria 2: do ATN systems interoperate?
- Criteria 3: does the ATN satisfy User Requirements?
- Criteria 4: does the ATN perform \*well\*?

#### A.1.1 Criteria 1: has the requirement been implemented?

The Sub-Volume V Third edition technical provisions must be **implementable** in ATN systems and procedures. Evidence of this will be given by the various developments under way. Exercises are necessary to ensure that all ATN requirements have been implemented in at least two distinct implementations. The contribution of these exercises to the overall ATN Validation is: "the following ATN requirements have been implemented in development X by Y".

Candidate validation exercises to assess this criteria include:

- Analysis: review of acceptance reports, qualification reports, etc. available for the systems where requirements have been implemented.
- Experiments: limited experiments targeted at demonstrating the implementation of the requirement(s).

This Attachment does not recommend the development of experiments dedicated to the validation of this criteria. In case no evidence is found that a given (set of) requirement(s) has been implemented, its presence in Doc 9705 Sub-Volume V must be justified.

#### A.1.2 Criteria 2: do ATN systems interoperate?

The Sub-Volume V Third edition technical provisions must lead to **interoperable** profiles. This has been assessed up to a certain point by analysis during SARPs editing. Exercises are necessary to ensure that ATN requirements lead to implementations that interoperate.

Another issue to be considered under this criteria is the impact of choosing different sets of recommendations or options in a given interworking setup.

Lastly, it is particularly important to verify that the enhancements introduced in the third edition of the Doc 9705 Sub-Volume V do not compromise interoperability with ATN systems that have been implemented according to the baseline Doc 9705 Sub-Volume V. Under this criteria, the issue of backward interoperability with ATN systems compliant with the baseline edition is therefore to be considered.

Candidate validation exercises to assess this criteria include:

- Analysis: review of PICS
- Experiments: verification that a set of requirements lead to interoperable systems. Breakdown of this set into individual experiments depends on available platforms.
- Simulations: detailed models may be used in some specific cases to assess interoperability.

This Attachment recommends that simulation is used only for cases that cannot be demonstrated in experiments using real implementations.

### **A.1.3 Criteria 3: does the ATN satisfy User Requirements?**

A number of System Level Requirements have been defined in the ATN SARPs and Doc 9705 Sub-Volume I. Exercises are necessary to ensure that these system level requirements are satisfied.

Candidate validation exercises to assess this criteria include:

- Experiments
- Simulations
- Analysis

### **A.1.4 Criteria 4: does the ATN perform \*well\*?**

There is only minimal written criteria about the performance expectations for the ATN ICS. Yet, the properties of ATN protocols and of ATN network topologies will be an important element in the ATN evaluation.

Many performance figures that can be measured in ATN networks are relative to system performance or to data link capacity. In principle, these figures can be scaled to meet any performance target by appropriate system/network design.

Some performance figures are ATN intrinsic, e.g. average protocol overhead, and can be evaluated on experimental systems or through simulation.

Expected results in this area are not of a pass/fail nature. They provide indications on which ATN validation will be assessed.

Candidate validation exercises to assess this criteria include:

- Experiments
- Simulations
- Analysis

Experimental and simulation results should be consistent. Simulation results can be confirmed by equivalent experiments in small configurations. This is a way to assess the validity of the simulation results obtained for larger configurations.

## A.2 Coverage

The set of validation objectives defined in this Attachment is meant to be complete in terms of the Sub-Volume V Third edition enhanced technical provisions coverage. Although new additional criteria and objectives could be defined, the current set is considered to provide the acceptable level of coverage. In other words, the Sub-Volume V enhancement incorporated in the third edition will be considered validated after successful verifications and executions of exercises derived from those objectives.

The details and depth of the verifications required are subject to external assessment as described below.

### A.2.1 Conventions

Objectives are stated, as much as possible, in the form of sentences beginning with verbs like "verify", "show", "evaluate", etc. Being high level statements they are not meant to describe in detail the technical steps involved. In principle, one objective is expected to be refined into one or several validation exercises.

A unique reference of the form "AVO-3\_nnn" is assigned to each objective. It is intended for use in exercise specifications.

AVO reference numbers do not necessarily appear as increasing consecutive numbers.

Validation objectives are presented in table format as follows:

<i>Reference</i>	<i>Objective Description</i>
AVO-3_nnn	Verify that ...

Where the term 'AVO-' identifies this as an ATN validation objective for the Third edition of Doc 9705 and the 'nnn' is the number assigned to the specific validation objective. When the term compliant is used in the AVO objective description without a reference to a specific version of Doc 9705 (i.e., baseline or third edition) this is to be understood to be referring to the Doc 9705 Sub-Volume V, Third edition.

### A.2.2 Assessment

Normally, objectives state what is to be verified in order to derive a pass/fail verdict. However, it is not practical, nor even possible, to detail in this Attachment the exact degree and depth of verification that is required in order to declare an objective met. Similarly, this Attachment does not specify the number and type of topologies/configurations that should be tested (for an objective related to ATN routing topologies for example).

These issues are considered to be part of an assessment process, which needs to be set up in parallel with the development and execution of validation exercises. The assessment process is responsible for:

- deciding which ATN requirements can be considered as validated without any specific exercises and provide justification for it.
- deciding for each objective what is the minimum number/type of exercises that are required in order to consider the objective validated. For example: need for two distinct



implementations, the significant ATN profiles to be experimented, the combination of options to be tested, the configurations for which simulation is sufficient.

- deciding what are the ATN topologies/configurations to be investigated.
- specifying target values for ATN properties and performances.
- relating actual validation exercises/results derived from these objectives to ATN database entries.

## A.3 Validation Objectives

### A.3.1 Implementation of ATN systems and procedures (criteria 1)

All the following exercises are meant to be conducted through analysis of existing documentation and reports: PICS, acceptance test reports.

The expected outcome is an indication of the ATN requirements that have been successfully implemented. As a result, some coverage analysis can be derived from these exercises.

In these exercises, the term 'ATN requirements' is used to refer to mandatory requirements and to recommendations. The ATN options, as derived from PRLs, can be considered as out of the scope of these exercises. However, ATN options may be the subject of additional validation exercises to verify that they are neither needed nor "dangerous" to the ATN service when implemented.

The term 'implemented' in this context is not restricted to 'implemented in operational/avionics systems'. Prototypes and pre-operational are also capable of validating the 'implementability' of Doc 9705 Sub-Volume V technical provisions. The degree of confidence required, hence the type of implementation, is an issue for the assessment procedure to establish (see 2.4).

#### A.3.1.1 Ground End System

AVO-3_101	Verify that all requirements associated with Doc 9705 Sub-Volume V Third edition enhancements pertaining to ground End Systems have been implemented and demonstrated to be compliant. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-03 ICS3-11
-----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### A.3.1.2 Airborne End System

AVO-3_102	Verify that all requirements associated with Doc 9705 Sub-Volume V Third edition enhancements pertaining to airborne End Systems have been implemented and demonstrated to be compliant. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-03 ICS3-11
-----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### A.3.1.3 Ground-Ground BIS

AVO-3_103	Verify that all requirements associated with Doc 9705 Sub-Volume V Third
-----------	--------------------------------------------------------------------------

	<p>edition enhancements pertaining to ground-ground Boundary Intermediate Systems have been implemented and demonstrated to be compliant. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-06</p>
--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### A.3.1.4 Air-Ground BIS

AVO-3_104	<p>Verify that all requirements associated with Doc 9705 Sub-Volume V Third edition enhancements pertaining to air-ground Boundary Intermediate Systems have been implemented and demonstrated to be SARPs compliant. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-02 ICS3-06 ICS3-07 ICS3-08 ICS3-09 ICS3-13 ICS3-14</p>
-----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### A.3.1.5 Airborne BIS supporting IDRP

AVO-3_105	<p>Verify that all requirements associated with Doc 9705 Sub-Volume V Third edition enhancements pertaining to airborne Boundary Intermediate Systems supporting IDRP have been implemented and demonstrated to be compliant. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-02 ICS3-06 ICS3-07 ICS3-08 ICS3-09 ICS3-13 ICS3-14</p>
-----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### A.3.1.6 Airborne BIS without IDRP

AVO-3_106	<p>Verify that all requirements associated with Doc 9705 Sub-Volume V Third edition enhancements pertaining to airborne Boundary Intermediate Systems not supporting IDRP have been implemented and demonstrated to be compliant. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-02 ICS3-07 ICS3-09 ICS3-13 ICS3-14</p>
-----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### A.3.1.7 ATN Subnetworks

AVO-3_108	Verify consistency of the Mobile SNDCF provisions versus the behaviour of VDL Mode 2, AMSS, HF DL and Mode S subnetworks in the issuance of Join and Leave Events under conditions of rapid fading conditions on the r.f. link. This includes verification that Doc 9705 correctly indicates which subnetworks will need to use the enhanced features of the mobile SNDCF. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-01 ICS3-02
-----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### A.3.1.8 Routing architecture and policy

AVO-3_109	Verify that all requirements associated with Doc 9705 Sub-Volume V Third edition enhancements pertaining to routing architecture and routing policy have been implemented and demonstrated to be SARPs compliant. This includes ATN system aspects and associated procedures. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-08
-----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## A.3.2 Interoperability (criteria 2)

The ATN Internet Communications Service SARPs specify the ATN Network and Transport Layers in terms of their constituent protocols and functions. They mandate certain features, recommend others and document a wide variety of options without mapping these to real world systems (e.g. Routers and Host Computers). The large number of possible combinations of standards, recommendations and options complicates the validation process.

Within each type of ATN system defined in SARPs (ES, GG-BIS, AG-BIS, A-BIS), there are a number of possible ATN compliant solutions (called hereafter ATN Compliant Profiles). A Profile is defined as a specific choice of recommendations/options allowed by the SARPs. Validation must prove that all these possible profile solutions interoperate. When this is not the case, the ATN SARPs must be in error and cannot be validated as they stand.

Experiments will contribute to the definition of a practical number of interoperable ATN components of various types (e.g. air-ground Router, ground-ground Router, ATC Host Computer etc.) by identifying ATN Compliant Profiles for them. These Profiles will be constructed from the standards, recommendations and options specified in the ATN SARPs.

It must be noted that the focus of the validation effort is on the enhancements introduced between the pre-existing baseline Sub-Volume V technical provisions and the third edition of Sub-Volume V. However, the validation will confirm the interoperability of the third edition Sub-Volume V enhanced features with the existing baseline configuration.

Hence, interoperability objectives concentrate on the dialogue between systems and the service provided by those systems, including:

- interoperability between systems compliant with the third edition of Doc 9705, and also,

- backward interoperability between third edition compliant systems and systems that have been implemented according to the baseline Doc 9705 Sub-Volume V.

### A.3.2.1 Data transfer

Data transfer exercises should investigate various transport user situations. Depending on the tool used, transport users may be:

- raw data exchanges with no relationship to ATN transport users. This data exchange type only serves the purpose of demonstrating the transport provider capabilities. It should not be used to demonstrate the ATN capability to support any specific ATN user type.
- models of ATN transport users. These data exchanges can be tailored to reflect the characteristics of real application behaviours. These models include setting of average messages length, time distribution patterns, etc.
- prototype/real applications using ATN transport service. These data exchanges can be used in demonstration of capability to support ATN user applications.

#### A.3.2.1.1 Default end system interworking profiles

AVO-3_201	<p>Verify that two compliant ATN End Systems interoperate and provide Connection-Oriented Transport Service to Transport Service users. These End Systems should be configured so as to be compliant to a default third edition of Sub-Volume V ATN profile (subsequent validation exercises will investigate different profile combinations).</p> <p>The exercise(s) based on that objective should address: connection establishment, one-way data transfers, two-way data transfers, normal disconnection, multiple simultaneous connections. The ability to gracefully recover from out of order TPDU delivery and changing transit delays shall be verified. COTP profiles specific to air-ground and ground-ground will be verified. Applicable Sub-Volume V enhancements (see 2.3) are:</p> <p>ICS3-03 ICS3-11</p> <p>Note: several other experiments may have this exercise as a prerequisite. Data transfers will be used to test various network conditions and to exercise ATN systems.</p>
-----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### A.3.2.1.2 Varying end system protocol profiles

AVO-3_202	<p>Verify that two ATN End Systems supporting different protocol profiles (i.e., support of ATN recommendations) interoperate and provide the Transport Service. Several exercises are needed to investigate different transport and network options.</p> <p>The exercises should verify: Existing baseline Sub-Volume V COTP profile will successfully interoperate with a profile compliant with the third edition Sub-Volume V COTP (e.g., use of fixed vs dynamic timers algorithms). Applicable Sub-Volume V enhancements (see 2.3) are:</p> <p>ICS3-03 ICS3-11</p>
-----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### A.3.2.2 Enhancements to Mobile SNDCF

AVO-3_203	Verify that compliant airborne and air-ground BISs implementing the enhancements to the mobile SNDCF(s) to deal with changing subnetwork connectivity will interoperate. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-01 ICS3-02
AVO-3_204	Verify that a compliant airborne BIS or air-ground BIS implementing the enhancements to the mobile SNDCF(s) to deal with changing subnetwork connectivity will interoperate with a peer BIS implementing the mobile SNDCF according to the existing baseline Sub-Volume V provision. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-01 ICS3-02

### A.3.2.3 Enhancements for exchange of Inter-domain routing information

AVO-3_210	Verify that ground BISs and air-ground BISs will interoperate for the secure as well as the unsecure exchange of IDRP information. The provisions to authenticate IDRP exchanges with the peer BIS across a ground-ground path will be verified. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-06
AVO-3_211	Verify that compliant airborne and air-ground BISs supporting authentication of IDRP exchanges in the air-to-ground direction will interoperate. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-06 ICS3-09
AVO-3_212	Verify that compliant airborne BISs and air-ground BISs supporting the optional mutual authentication of IDRP exchanges are each able to authenticate IDRP PDUs received from the peer BIS. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-06 ICS3-09
AVO-3_213	Verify that compliant airborne BISs and air-ground BISs supporting the option to request and to attach a security certificate to an IDRP OPEN-PDU will interoperate. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-06 ICS3-09
AVO-3_214	Verify that a compliant airborne BIS, air-ground BIS and ground BIS will interoperate for the unsecured exchange of routing information with a peer BIS implemented in accordance with the current baseline Sub-Volume V provisions. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-06 ICS3-09

### A.3.2.4 Enhancement for suppression of re-advertisement of routes

AVO-3_220	Verify compliant airborne and air-ground BISs suppress the re-advertisement of routes in the case of changing mobile subnetwork connectivity. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-08
AVO-3_221	Verify that a compliant airborne or air-ground BIS supporting the mechanisms to suppress the re-advertisement of routes in the case of

	changing mobile subnetwork connectivity will interoperate with a peer BIS that has been implemented according to the baseline Doc 9705 Sub-Volume V. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-08
--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### A.3.2.5 Enhanced signalling for protocol capabilities

AVO-3_230	Verify compliant airborne and air-ground BISs using a parameter in ISH PDU to signal protocol capabilities which are beyond first edition of Doc. 9705 will interoperate. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-09
AVO-3_231	Verify that a compliant airborne or air-ground BIS supporting the use of a parameter in ISH PDU to signal protocol capabilities which are beyond first edition of Doc. 9705 will interoperate with a peer BIS that has been implemented according to the baseline Doc 9705 Sub-Volume V. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-09

### A.3.2.6 Deletion of the ATN NSAP address compression algorithm (ACA)

AVO-3_240	Verify compliant airborne and air-ground BISs will interoperate with a peer BIS that has been implemented according to the baseline Doc 9705 Sub-Volume V and supports the ACA compression mechanism. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-07
-----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### A.3.2.7 Enhanced compression mechanisms

AVO-3_250	Verify compliant airborne and air-ground BISs supporting negotiation of pre-stored Deflate dictionaries will interoperate. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-13
AVO-3_251	Verify a compliant airborne or air-ground BISs supporting negotiation of pre-stored Deflate dictionaries will interoperate with a peer BIS that has been implemented according to the baseline Doc 9705 Sub-Volume V. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-13
AVO-3_252	Verify compliant airborne and air-ground BISs supporting a mobile SNDCF option to allow maintenance of Deflate history window when changing ground stations will interoperate. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-14
AVO-3_253	Verify a compliant airborne or air-ground BISs supporting a mobile SNDCF option to allow maintenance of Deflate history window when changing ground stations will interoperate with a peer BIS that has been implemented according to the baseline Doc 9705 Sub-Volume V. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-14

### A.3.3 User Requirements (criteria 3)

Only a subset of the ATN User Requirements have been selected. The main selection criteria has been that the user requirement was linked to an observable property of an ATN

network or ATN topology and related to an enhanced capability offered by the third edition of Sub-Volume V as compared to the existing baseline document.

### A.3.3.1 Independence from the subnetwork service interruptions

AVO-3_300	Verify the ability of the ATN service to ensure a rapid fall back to another mobile subnetwork in case of service interruption on the default mobile subnetwork, consistent with the declared ATSC traffic class supported by the default mobile subnetwork. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-01 ICS3-08
AVO-3_301	Verify that a perturbed default sub-network (experiencing fading on the r.f. channel) has no impact on the ATN service except for increase in average end-to-end transit delay and/or fall back to another mobile subnetwork. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-01 ICS3-02 ICS3-03 ICS3-11

### A.3.4 ATN properties and performances (criteria 4)

This section can be viewed as a list of objectives which validates the assumed or implicit User Requirements. Other than the ATN SARPS and Doc 9705 Sub-Volume I, no other formal ICAO source document is available which states the expected technical high-level properties/performances of the ATN. Generally many of the performance characteristics of the ATN (e.g., number of mobile users to be supported) will be determined on a local or regional basis.

The assessment procedure is required to define the expected values/targets against which the ATN properties and performances will be evaluated.

Until these expected values are specified, an objective of the form "Evaluate X" should be interpreted as "Evaluate X. Verify that X is acceptable". The acceptability criteria for such a general case is:

- exercises derived from this objective do not reveal SARPs inconsistencies or gaps,
- observed performances are consistent with provision of ATN user services,
- observed performances are scaleable to future ATN configurations or ATN systems.

### A.3.4.1 Enhanced provisions for the exchange of routing information

AVO-3_400	Evaluate the ground BISs and air-ground BISs capability to authenticate IDRPs exchanges with the peer BIS across a ground-ground path. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-06
AVO-3_401	Evaluate the compliant airborne and air-ground BISs capability for authentication of IDRPs exchanges in the air-to-ground direction. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-06 ICS3-09
AVO-3_402	Evaluate the compliant airborne BISs and air-ground BISs capability for the mutual authentication (option) for IDRPs exchanges. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-06 ICS3-09
AVO-3_403	Evaluate the security information exchange and processing overhead for the secure exchange of IDRPs routing information, between ground and air-ground BISs.
AVO-3_404	Evaluate the security information exchange and processing overhead for the secure exchange of IDRPs routing information, between airborne and air-ground BISs.

### A.3.4.2 Enhanced mobile SNDCFs

AVO-3_410	Show that compliant airborne and air-ground BISs implementing the enhancements to the mobile SNDCF(s) to deal with changing subnetwork connectivity minimise routing updates when the mobile subnetwork is experiencing rapid changes in connectivity. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-02 ICS3-08
-----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### A.3.4.3 Enhancement for suppression of re-advertisement of routes

AVO-3_420	Show compliant airborne and air-ground BISs suppress the re-advertisement of routes in the case of changing mobile subnetwork connectivity. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-08
-----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



### A.3.4.5 Enhanced compression mechanisms

AVO-3_451	Evaluate the performance advantage provided by the use of a pre-stored Deflate dictionary compared to the dynamic construction of the dictionary, as per the standard Deflate mechanism specified by the baseline Doc 9705 Sub-Volume V. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-13
AVO-3_452	Evaluate the performance advantage provided by allowing the maintenance of Deflate history window when changing ground stations as compared to a Deflate algorithm that has been implemented according to the baseline Doc 9705 Sub-Volume V. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-14

### A.3.4.6 Enhanced Connection Orient Transport Service mechanisms

AVO-3_460	Show the enhanced COTP provisions for dynamic re-transmission timers result in an improved ability to quickly recover to changes in transit delay by the underlying internet service or a non-uniform delay in the delivery of TPDU. Any improvements are as compared to the capabilities of default COTP profile in the baseline Doc 9705 Sub-Volume V. Such changes in transit delay could be the result of changing subnetwork loading or a change in the mobile subnet being used. Applicable Sub-Volume V enhancements (see 2.3) are: ICS3-03
AVO-3_461	Show that the revised COTP ACK timer setting results in improved recovery from the loss of TPDU. The loss of TPDU resulting from changing mobile subnetwork connectivity as well as from other causes will be considered. Results are to be compared to the use of the nominal COTP ACK timer value (i.e., 20 seconds) in the baseline Doc 9705 Sub-Volume V. ICS3-11

## ATTACHMENT B — High Level Validation Tool Descriptions

### B.1 ProATN A/G BIS Validation Tool

<b>Tool Identification</b>	
<b>Name</b>	ProATN A/G BIS (Version 3.x and Version 2.1)
<b>Category</b>	<b>Pre-operational implementation</b>
<b>Description</b>	<p>Pre-operational ATN air-ground BIS, ground-ground BIS, and intra-domain Level 1 and Level 2 IS.</p> <p>The system can emulate the behaviour of an Airborne BIS in testing environment.</p> <p>The system can also be configured as an ES and as a combined ES and IS. However, the End System capability is limited to the provision of the ATN lower layer services up to (including) the transport service.</p> <p>The Version 3.0 of the system is compliant with the draft third edition of Doc 9705 Sub-Volume V</p> <p>The Version 2.1 of the system is compliant with the second edition of Doc 9705 Sub-Volume V</p>
<b>Contact Point and/or Supplier</b>	<p>Supplier: Sofréavia, Airtel-ATN</p> <p>Contact point: Sofréavia: Mr Francis Brangier</p>
<b>Tool Version and Date</b>	<p>Version 3.0, June 2000 (a beta version is available)</p> <p>Version 2.1, November 1999</p>
<b>Supporting Hardware</b>	SUN Workstation
<b>Supporting Operating System and/or Software</b>	Solaris 2.5.1
<b>ATN Systems</b>	
	<input checked="" type="checkbox"/> End System (up to the Transport service) <input checked="" type="checkbox"/> Intra-Domain Intermediate System <input checked="" type="checkbox"/> Ground-ground BIS <input checked="" type="checkbox"/> Air-ground BIS <input type="checkbox"/> Airborne BIS <input type="checkbox"/> Other
<b>Protocols</b>	
	<input checked="" type="checkbox"/> ISO 8073 <input checked="" type="checkbox"/> ISO 8602 <input checked="" type="checkbox"/> ISO 8473 <input checked="" type="checkbox"/> ISO 9542 <input checked="" type="checkbox"/> ISO 10747 <input checked="" type="checkbox"/> ISO 10589 <input checked="" type="checkbox"/> ISO 8802 SND CF <input checked="" type="checkbox"/> ISO 8208 SND CF <input checked="" type="checkbox"/> ISO 8208 Mobile SND CF
<b>CNS/ATM-2 Specifics</b>	Enhancements supported:

	<input checked="" type="checkbox"/> ICS3-01 <input checked="" type="checkbox"/> ICS3-02 <input checked="" type="checkbox"/> ICS3-03 <input checked="" type="checkbox"/> ICS3-05 <input checked="" type="checkbox"/> ICS3-06 (partially) <input checked="" type="checkbox"/> ICS3-07 <input checked="" type="checkbox"/> ICS3-08 <input checked="" type="checkbox"/> ICS3-09 <input checked="" type="checkbox"/> ICS3-11 <input type="checkbox"/> ICS3-12 <input checked="" type="checkbox"/> ICS3-13 <input checked="" type="checkbox"/> ICS3-14
<b>Connectivity Information: ISO 8802-2, and X.25 subnetworks, AMSS, VDL Mode 2 and Mode S</b>	
<b>Notes</b>	

## B.2 DGAC End System

<b>Tool Identification</b>	
<b>Name</b>	DGAC End System (Lower Layers)
<b>Category</b>	<b>Operational implementation</b>
<b>Description</b>	<p>The DGAC End System is an End System-profiled implementation of the ATN Internet Communication Services Protocols that is operationally used within the French CAUTRA system, and provides transport and internetworking services to CAUTRA applications.</p> <p>The system is compliant with the draft third edition of Doc 9705 Sub-Volume V at the exception of the support of the ATN Transport Congestion Avoidance mechanism.</p>
<b>Contact Point and/or Supplier</b>	<p>Contact point: STNA: Mrs christine Ricci</p> <p>Supplier: N/A (restricted use to CAUTRA)</p>
<b>Tool Version and Date</b>	Version 1.3.3
<b>Supporting Hardware</b>	HP, Bull, and DEC workstations
<b>Supporting Operating System and/or Software</b>	UNIX
<b>ATN Systems</b>	<input checked="" type="checkbox"/> End System (up to the Transport service) <input type="checkbox"/> Intra-Domain Intermediate System <input type="checkbox"/> Ground-ground BIS <input type="checkbox"/> Air-ground BIS <input type="checkbox"/> Airborne BIS <input type="checkbox"/> Other

<b>Protocols</b>	<input checked="" type="checkbox"/> ISO 8073 <input checked="" type="checkbox"/> ISO 8602 <input checked="" type="checkbox"/> ISO 8473 <input checked="" type="checkbox"/> ISO 9542 <input type="checkbox"/> ISO 10747 <input type="checkbox"/> ISO 10589 <input checked="" type="checkbox"/> ISO 8802-2 SNDCF <input type="checkbox"/> ISO 8208 SNDCF <input type="checkbox"/> ISO 8208 Mobile SNDCF
<b>CNS/ATM-2 Specifics</b>	Enhancements supported (among those applicable to an End System): <input checked="" type="checkbox"/> ICS3-03 <input checked="" type="checkbox"/> ICS3-11
<b>Connectivity Information: ISO 8802-2 (Ethernet and FDDI)</b>	
<b>Notes</b>	

## ATTACHMENT C — Coverage of Validation Objectives by Validation Exercises

### C.1 List of Validation Initiatives

Initiative Name	Title	Attachment
FRAVI	French DGAC Validation Initiative	E
		F
		G

### C.2 Cross Reference List

Validation Objective	Validation Initiative	Validation Exercise	Exercise Title
AVO-3_101	FRAVI	FVE_101	Validation of the use of dynamic TP4 retransmission timers. Validation of the use of short TP4 Acknowledgement timer
AVO-3_102	FRAVI	FVE_102	Validation of the use of dynamic TP4 retransmission timers. Validation of the use of short TP4 Acknowledgement timer
AVO-3_103	FRAVI	FVE_103	ProATN A/G BIS V3.0beta non-regression and system tests
AVO-3_104	FRAVI	FVE_104	ProATN A/G BIS V3.0beta non-regression and system tests
AVO-3_105	FRAVI	FVE_105	ProATN A/G BIS V3.0beta non-regression and system tests
AVO-3_106	FRAVI	FVE_106	ProATN A/G BIS V3.0beta non-regression and system tests
AVO-3_107			
AVO-3_108			
AVO-3_109	FRAVI	FVE_109	ProATN A/G BIS V3.0beta validation tests
AVO-3_201	FRAVI	FVE_201	Validation of the use of dynamic TP4 retransmission timers. Validation of the use of short TP4 Acknowledgement timer
AVO-3_202	FRAVI	FVE_202	Validation of the use of dynamic TP4 retransmission timers. Validation of the use of short TP4 Acknowledgement timer
AVO-3_203	FRAVI	FVE_203	Validation of the new mobile SNDCEF options for the use of pre-stored dictionaries and the maintenance of Deflate history.
AVO-3_204	FRAVI	FVE_204	Validation of the new mobile SNDCEF options for the use of pre-stored dictionaries and the maintenance of Deflate history.
AVO-3_210	FRAVI	FVE_210	Validation of the procedures for the negotiation of the use of Authentication over fixed and mobile IDRPs connections.
AVO-3_211	FRAVI	FVE_211	Validation of the procedures for the negotiation of the use of Authentication over fixed and mobile IDRPs connections.
AVO-3_212			
AVO-3_213	FRAVI	FVE_213	Validation of the procedures for the negotiation of the use of Authentication over fixed and mobile IDRPs connections.

Validation Objective	Validation Initiative	Validation Exercise	Exercise Title
AVO-3_214	FRAVI	FVE_214	Validation of the procedures for the negotiation of the use of Authentication over fixed and mobile IDRPs connections.
AVO-3_220	FRAVI	FVE_220	Validation of the IDRPs behaviour in the case of changing mobile subnetwork connectivity
AVO-3_221	FRAVI	FVE_221	Validation of the IDRPs behaviour in the case of changing mobile subnetwork connectivity
AVO-3_230	FRAVI	FVE_230	Validation of the air/ground route initiation and termination procedures
AVO-3_231	FRAVI	FVE_231	Validation of the air/ground route initiation and termination procedures
AVO-3_240	FRAVI	FVE_240	ProATN A/G BIS V3.0beta non-regression and system tests
AVO-3_250	FRAVI	FVE_250	Validation of the new mobile SNDCFs options for the use of pre-stored dictionaries and the maintenance of Deflate history.
AVO-3_251	FRAVI	FVE_251	Validation of the new mobile SNDCFs options for the use of pre-stored dictionaries and the maintenance of Deflate history.
AVO-3_252	FRAVI	FVE_252	Validation of the new mobile SNDCFs options for the use of pre-stored dictionaries and the maintenance of Deflate history.
AVO-3_253	FRAVI	FVE_253	Validation of the new mobile SNDCFs options for the use of pre-stored dictionaries and the maintenance of Deflate history.
AVO-3_300	FRAVI	FVE_300	Validation of the air/ground route initiation and termination procedures
AVO-3_301	FRAVI	FVE_301	Validation of the air/ground route initiation and termination procedures
AVO-3_400			
AVO-3_401			
AVO-3_402			
AVO-3_403			
AVO-3_404			
AVO-3_410	FRAVI	FVE_410	Validation of the air/ground route initiation and termination procedures
AVO-3_420	FRAVI	FVE_420	Validation of the IDRPs behaviour in the case of changing mobile subnetwork connectivity
AVO-3_451	FRAVI	FVE_451	Validation of the new mobile SNDCFs options for the use of pre-stored dictionaries and the maintenance of Deflate history
AVO-3_452	FRAVI	FVE_452	Validation of the new mobile SNDCFs options for the use of pre-stored dictionaries and the maintenance of Deflate history
AVO-3_460			
AVO-3_461			

## ATTACHMENT D — Coverage of 3<sup>rd</sup> edition enhancements by initiatives

### D.1 Cross Reference List

Enhancement Label	Enhancement Description	Validation Initiatives	Level of Validation	Expected level at WGW/4
ICS3-01	Requirements for mobile subnetworks to issue Join and Leave Events within given latency intervals	FRAVI	d	d
ICS3-02	Requirement for IS-SME to respect quarantine time before processing next Join event from mobile subnetworks having issued a Leave event	FRAVI	g	d
ICS3-03	Use of adaptive retransmission timers in the Connection Oriented Transport Protocol	FRAVI	b	b
ICS3-05	Requirements for ICS-related systems management consistent with the ATN systems management concept (i.e. draft Sub-Volume 6)		Not applicable	Not applicable
ICS3-06	Requirements for enhanced IDRPs security consistent with the ATN security architecture (i.e. draft Sub-Volume 8).	FRAVI (partially)	g	e
ICS3-07	Deletion of the ATN NSAP address compression algorithm (ACA)	FRAVI	b	b
ICS3-08	Suppression of re-advertisement of routes in the case of changing mobile subnetwork connectivity	FRAVI	d	d
ICS3-09	Conveyance of data link capability parameter in air/ground ISH PDU exchanges to signal protocol capabilities which are beyond 1 <sup>st</sup> edition of Doc 9705 between air/ground and airborne routers in a backwards compatible manner	FRAVI	d	d
ICS3-11	Revised COTP acknowledgement (ACK) timer setting	FRAVI	b	b
ICS3-12	Potential amendment of existing mobile SNDCF and/or development of additional mobile SNDCFs to include new subnetwork types		Not applicable	Not applicable
ICS3-13	Potential enhancements to the DEFLATE algorithm to allow for the dynamic negotiation for the use of pre-stored dictionaries	FRAVI	e	e
ICS3-14	Potential additional mobile SNDCF option to allow maintenance of DEFLATE history window when changing ground stations or air/ground routers respectively	FRAVI	d	d





## ATTACHMENT E — French DGAC Validation Report of ICS Enhancements Incorporated into Doc 9705 Sub-Volume V Third edition

### E.1 Initiative Reference & Title

FRAVI: French DGAC Validation Initiative

### E.2 Type

Experimentation/pre-operational implementation

### E.3 Responsible State/Organisation

French DGAC

### E.4 Contact Point

State/Organisation	Contact Details
French DGAC	Mrs Christine Ricci STNA/8CA 1, avenue Dr Grynfogel BP 1084 31055 Toulouse Cedex France  Tel: +33 (0)5 62 14 54 82 Fax: +33 (0)5 62 14 54 02 e-mail: <a href="mailto:ricci_christine@stna.dgac.fr">ricci_christine@stna.dgac.fr</a>

### E.5 Validation tools involved

The experiments are conducted on the STNA ATN test laboratory. The STNA ATN test laboratory consists of multiple SUN SOLARIS workstations running ATN software, and which can be interconnected in multiple ways through X.25 and/or ethernet subnetworks according to the test scenarios requirements. A maximum of 4 workstations is available for validation purpose. However, for test configurations that require more than 4 systems, it is possible to run multiple instances of the ATN system software on each of the available workstations, and to interconnect each running instance of an ATN system through either real or simulated LANs, X.25 WANs and mobile subnetworks. This permits to set-up and test large network topology.

The ATN software environment consists of the version 2.1 and the beta Version 3 of the Sofreavia/Airtel-ATN ProATNair/ground BIS software, and the version 1.3.3 of the DGAC End System. The characteristics of this software are given in Attachment B.

The version 2.1 of the ProATNair/ground BIS is compliant with the second edition of Doc 9705 Sub-Volume V. This version of the system is used for testing the backward interoperability of the beta 3.0 version with ATN systems compliant with the baseline Doc 9705 Sub-Volume V.

The beta version 3.0 aims compliance with the draft third edition of Doc 9705 Sub-Volume V. This system is under development, and draft third edition enhancements are progressively incorporated to the system, according to the following development schedule.

Enhancement label	Developed by the end of:
ICS3-03	Already implemented
ICS3-11	Already implemented
ICS3-07	Already implemented
ICS3-13	January 2000
ICS3-14	January 2000
ICS3-01	January 2000
ICS3-08	January 2000
ICS3-09	January 2000
ICS3-02	March 2000
ICS3-06	April 2000 - partially (see Note 1)

**Development Schedule of the version 3.0 of the ProATN Air-Ground BIS**

*Note 1: At the time this report is produced, the requirements for enhanced IDRP security are planned to be implemented partially: The software will implement all procedures and options related to the negotiation of the use of mutual or single authentications on air-ground and ground-ground IDRP connections. However the implementation of the ASVDP, AKDF, AMACP, and AMAVP procedures that are specified in Sub-Volume 8 are still under consideration.*

## E.6 Validation Period

The validation of the draft third edition of Doc 9705 Sub-Volume V spans over a period of 7 months from December 1999 to June 2000.

Within this period, the 4 first months focused on:

1. The step by step upgrade of the Version 2.1 of the ProATN air-ground BIS, to the beta 3.0 version, by the implementation of the requirements introduced in the draft third edition of Doc 9705 Sub-Volume 5.
2. The production of the validation strategy document and of high level exercise specifications

The validation tests are performed in the experimentation phase. This phase slightly overlaps with the first (i.e. development) phase and spans over a period of 4 months. Running development and tests in parallel allows getting early results for the February time frame.

The last month of the period focuses on the finalisation of the validation report, for presentation to the WGW in mid 2000.

## E.7 Description

The French DGAC validation initiative mainly aims at demonstrating that:

1. the requirements of the third edition of Doc 9705 SubVolume V are implementable,
2. compliant ATN systems are interoperable,
3. compliant ATN systems are interoperable with ATN systems that comply with the baseline edition of Doc 9705 Sub-Volume V,
4. the draft third edition of Doc 9705 Sub-Volume V satisfies the user requirements.

The French DGAC validation initiative also covers some validation objectives related to ATN properties and performances.

The principle of the initiative is first to develop an ATN system that complies with third edition of Doc 9705 Sub-Volume V, in order to demonstrate feasibility. The system is developed by a team of persons who have not participated to the production of the SARPs. This provides further level of confidence that the SARPs are unambiguous.

Secondly, the resulting ATN system is passed through the STNA ATN Laboratory non-regression testing process in order to insure that implementation of the third edition enhancement does not compromise the performance of the baseline functions of the system.

The focus is then directed on the testing of each new functionality in the context of peer to peer and multi-peers configurations. This includes backward interoperability testing.

The underlying principles prevailing during the tests are the verification of the normal behaviour of the router and its non-regression as the software evolves. After an exercise has been conducted, the log/traces produced during the exercise or during critical steps of the exercise are saved according to well-defined configuration rules, and an off-line analysis of these traces is performed. In the case they show a nominal behaviour of the router(s), they are placed in a reference log/trace repository. Conversely, if an error is detected (abnormal behaviour), an iterative process is initiated: all relevant information (topology used, logs, post mortal dumps, event which led to the error, etc.) is given to the development team. In turn, the development team analyses the problem. If the problem is due to a software error, the error is corrected, and new version of the software is released to the test team. However, if the problem is due to the errors in the ATN protocol specification, then a PDR is raised to the ATNP CCB. This procedure is carried out until the software passes successfully all the tests.

Detailed specifications of the validation strategy and tests are contained in a set of documents available through the contact person.

## E.8 Results

### E.8.1 General

At the time this report is presented to ATNP/3, the French DGAC validation initiative is in progress, and still planned to be completed by June 2000. A number of experiments remain therefore to be conducted to complete coverage of the high level ATN Validation Objectives. However, with the development of the beta Version 3.0 of the ProATN A/G BIS confidence has already been gained that the draft third edition of Doc 9705 Sub-Volume V is implementable, consistent, and unambiguous. In case unexpected problems are encountered during the first phase of this validation initiative, before ATNP/3, and not described in this document for practical reasons, they will be reported by the French Panel Member to ATNP/3.

The coverage of AVOs by the French DGAC validation initiative is categorized as follows:

1. AVOs that have already been covered at the time of ATNP/3.
2. AVOs that will be covered before the end of the initiative.
3. AVOs not covered by the French DGAC validation initiative.

For each of the above category, a table summarizes the results and/or comments

### E.8.2 AVOs covered by the French DGAC validation initiative

The following is the list of the high level ATN validation objectives for the ICS enhancements incorporated in the third edition of the Doc 9705 Sub-Volume V that have been covered in the context of the *French DGAC* validation efforts. The table lists the AVOs that have been covered, and summarises the results.

AVO Number	Description	Result
AVO-3_101	Verify that all requirements associated with Doc 9705 Sub-Volume V Third edition enhancements pertaining to ground End Systems have been implemented and demonstrated to be compliant.	The enhancements have been implemented for more than 4 years on different systems. Interoperability tests between these systems have demonstrated that the related mechanism performs well and provides a real gain in performance to the transport end-users
AVO-3_102	Verify that all requirements associated with Doc 9705 Sub-Volume V Third edition enhancements pertaining to airborne End Systems have been implemented and demonstrated to be compliant.	
AVO-3_103	Verify that all requirements associated with Doc 9705 Sub-Volume V Third edition enhancements pertaining to ground-ground Boundary Intermediate Systems have been implemented and demonstrated to be compliant.	A large number of the requirements have been implemented and hence demonstrated to be implementable (see Table in section E.5)
AVO-3_104	Verify that all requirements associated with Doc 9705 Sub-Volume V Third edition enhancements pertaining to air-ground Boundary Intermediate Systems have been implemented and demonstrated to be SARPs compliant.	A number of other requirements remain to be implemented. However, the French validation initiative is ongoing, and at the exception of enhancement ICS3-06 which may not be totally covered (see Note 1 in section E.5), full coverage of these AVOs is optimistically expected to be complete by the end of June 2000.
AVO-3_105	Verify that all requirements associated with Doc 9705 Sub-Volume V Third edition enhancements pertaining to airborne Boundary Intermediate Systems supporting IDRP have been implemented and demonstrated to be compliant.	
AVO-3_106	Verify that all requirements associated with Doc 9705 Sub-Volume V Third edition enhancements pertaining to airborne Boundary Intermediate Systems not supporting IDRP have been implemented and demonstrated to be compliant.	

AVO-3_201	Verify that two compliant ATN End Systems interoperate and provide Connection-Oriented Transport Service to Transport Service users.	Interoperability tests between different compliant End Systems have demonstrated that the transport enhancements perform well and provide a real gain in performance to the transport end-users
AVO-3_202	Verify that two ATN End Systems supporting different protocol profiles (i.e., support of ATN recommendations) interoperate and provide the Transport Service	
AVO-3_240	Verify compliant airborne and air-ground BISs will interoperate with a peer BIS has been implemented according to the badeline Doc 9705 Sub-Volume V and implementing the ACA compression mechanism.	Tests have demonstrated that the ATN BISs faced to this condition, interoperate without trouble

### E.8.3 AVOs that will be covered before the end of the initiative

The following is the list of the high level ATN validation objectives for the ICS enhancements incorporated in the third edition of the Doc 9705 Sub-Volume V that will be covered in the context of the *French DGAC* validation initiative by June 200. The table contains a list of the AVOs, their description, and comments.

AVO Number	Description	Comment
AVO-3_109	Verify that all requirements associated with Doc 9705 Sub-Volume V Third edition enhancements pertaining to routing architecture and routing policy have been implemented and demonstrated to be SARPs compliant. This includes ATN system aspects and associated procedures.	Will be covered by the end of June 2000
AVO-3_203	Verify that compliant airborne and air-ground BISs implementing the enhancements to the mobile SNDCF(s) to deal with changing subnetwork connectivity will interoperate	Implementation of requirements or recommendations related to ICS3-01 is on-going Implementation of requirements or recommendations related to ICS3-02 is on-going Will be covered by the end of June 2000
AVO-3_204	Verify that a compliant airborne BIS or air-ground BIS implementing the enhancements to the mobile SNDCF(s) to deal with changing subnetwork connectivity will interoperate with a peer BIS implementing the mobile SNDCF according to the existing baseline Sub-Volume V provision.	Implementation of requirements or recommendations related to ICS3-01 is on-going Implementation of requirements or recommendations related to ICS3-02 is on-going Will be covered by the end of June 2000
AVO-3_210	Verify that ground BISs and air-ground BISs will interoperate for the secure exchange of IDRPs information. The provisions to authenticate IDRPs exchanges with the peer BIS across a ground-ground path will be verified.	Partial Implementation of requirements or recommendations related to ICS3-06 is on-going Will be partially covered by the end of June 2000
AVO-3_211	Verify that compliant airborne and air-ground BISs supporting authentication of IDRPs exchanges in the air-to-ground direction will interoperate.	
AVO-3_213	Verify that compliant airborne BISs and air-ground BISs supporting the option to request and to attach a security certificate to an IDRPs OPEN-PDU will interoperate.	
AVO-3_214	Verify that a compliant airborne BIS, air-ground BIS and ground BIS will interoperate for the unsecured exchange of routing information with a peer BIS implemented in accordance with the current baseline Sub-Volume V provisions.	
AVO-3_220	Verify compliant airborne and air-ground BISs suppress the re-advertisement of routes in the case of changing mobile subnetwork connectivity.	Will be covered by the end of June 2000
AVO-3_221	Verify that a compliant airborne or air-ground BIS supporting the mechanisms to suppress the re-advertisement of routes in the case of changing mobile subnetwork connectivity will interoperate with a peer BIS that has been implemented according to the baseline Doc 9705 Sub-	Will be covered by the end of June 2000

	Volume V.	
AVO-3_230	Verify compliant airborne and air-ground BISs using a parameter in ISH PDU to signal protocol capabilities which are beyond first edition of Doc. 9705 will interoperate.	Will be covered by the end of June 2000
AVO-3_231	Verify that a compliant airborne or air-ground BIS supporting the use of a parameter in ISH PDU to signal protocol capabilities which are beyond first edition of Doc. 9705 will interoperate with a peer BIS that has been implemented according to the baseline Doc 9705 Sub-Volume V.	Will be covered by the end of June 2000
AVO-3_250	Verify compliant airborne and air-ground BISs supporting negotiation of pre-stored Deflate dictionaries will interoperate.	Will be covered by the end of June 2000
AVO-3_251	Verify a compliant airborne or air-ground BISs supporting negotiation of pre-stored Deflate dictionaries will interoperate with a peer BIS that has been implemented according to the baseline Doc 9705 Sub-Volume V.	Will be covered by the end of June 2000
AVO-3_252	Verify compliant airborne and air-ground BISs supporting a mobile SNDCF option to allow maintenance of Deflate history window when changing ground stations will interoperate.	Will be covered by the end of June 2000
AVO-3_253	Verify a compliant airborne or air-ground BISs supporting a mobile SNDCF option to allow maintenance of Deflate history window when changing ground stations will interoperate with a peer BIS that has been implemented according to the baseline Doc 9705 Sub-Volume V.	Will be covered by the end of June 2000
AVO-3_300	Verify the ability of the ATN service to ensure a rapid fall back to another mobile subnetwork in case of service interruption on the default mobile subnetwork, consistent with the declared ATSC traffic class supported by the default mobile subnetwork	Implementation of requirements or recommendations related to ICS3-01 is on-going Will be covered by the end of June 2000
AVO-3_301	Verify that a perturbed default sub-network (experiencing fading on the r.f. channel) has no impact on the ATN service except for increase in average end-to-end transit delay and/or fall back to another mobile subnetwork.	Implementation of requirements or recommendations related to ICS3-01 is on-going Implementation of requirements or recommendations related to ICS3-02 is on-going Will be covered by the end of June 2000
AVO-3_410	Show that compliant airborne and air-ground BISs implementing the enhancements to the mobile SNDCF(s) to deal with changing subnetwork connectivity minimise routing updates when the mobile subnetwork is experiencing rapid changes in connectivity.	Implementation of requirements or recommendations related to ICS3-02 is on-going Will be covered by the end of June 2000
AVO-3_420	Show compliant airborne and air-ground BISs suppress the re-advertisement of routes in the case of changing mobile subnetwork connectivity.	Will be covered by the end of June 2000
AVO-3_451	Evaluate the performance advantage provided by the use of a pre-stored Deflate dictionary compared to the dynamic construction of the dictionary, as per the standard Deflate mechanism specified by the baseline Doc 9705 Sub-Volume V	Will be covered by the end of June 2000
AVO-3_452	Evaluate the performance advantage provided by allowing the maintenance of Deflate history window when changing ground stations as compared to a Deflate algorithm that has been implemented according to the baseline Doc 9705 Sub-Volume V.	Will be covered by the end of June 2000

#### E.8.4 AVOs not covered by the French DGAC initiative

The following is the list of the high level ATN validation objectives for the ICS enhancements incorporated in the third edition of the Doc 9705 Sub-Volume V that will not be covered in the context of the *French DGAC* validation initiative. The Table contains a list of the AVOs, their description, and comments.

AVO Number	Description	Comment
AVO-3_108	Verify consistency of the Mobile SNDCF provisions versus the behaviour of VDL Mode 2, AMSS, HF DL and Mode S subnetworks in the issuance of Join and Leave Events under conditions of rapid fading conditions on the r.f. link.	The French Validation initiative does not include validation of the Draft Edition 3 over real mobile subnetworks. Only simulated mobile subnetworks are used for the validation of air-ground protocol

		interactions.
AVO-3_212	Verify that compliant airborne BISs and air-ground BISs supporting the optional mutual authentication of IDRPs are each able to authenticate IDRPs received from the peer BIS.	Partial Implementation of requirements or recommendations related to ICS3-06 is on-going. However the implementation and validation of the ASVDP, AKDF, AMACP, and AMAVP procedures that are specified in Sub-Volume 8 are out of the scope of the French Validation Initiative (this is under consideration.)
AVO-3_400	Evaluate the ground BISs and air-ground BISs capability to authenticate IDRPs exchanges with the peer BIS across a ground-ground path.	
AVO-3_401	Evaluate the compliant airborne and air-ground BISs capability for authentication of IDRPs exchanges in the air-to-ground direction.	
AVO-3_402	Evaluate the compliant airborne BISs and air-ground BISs capability for the mutual authentication (option) for IDRPs exchanges.	
AVO-3_403	Evaluate the security information exchange and processing overhead for the secure exchange of IDRPs routing information, between ground and air-ground BISs.	
AVO-3_404	Evaluate the security information exchange and processing overhead for the secure exchange of IDRPs routing information, between airborne and air-ground BISs.	
AVO-3_460	Show the enhanced COTP provisions for dynamic re-transmission timers result in an improved ability to quickly recover to changes in transit delay by the underlying internet service or a non-uniform delay in the delivery of TPDU.	The coverage of this AVO is out of scope of the French Validation initiative.
AVO-3_461	Show that the revised COTP ACK timer setting results in improved recovery from the loss of TPDU.	The coverage of this AVO is out of scope of the French Validation initiative